Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1	(bank with memory) same auto$1precharg$3 same (initiat$3 with timer) same (predetermin$2 with value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:44
S2	1	(bank with memory) same auto$1precharg$3 same (initiat$3 with timer) same predetermin$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 14:31
S3	1	memory same auto$1precharg$3 same (initiat$3 with timer) same predetermin$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 14:32
S4	9	memory and auto$1precharg$3 and (initiat$3 with timer) and predetermin$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 10:12
S5	11	("4984204" | "5386387" | "5625596" | "5652731" | "5946243" | "6011735" | "6041006" | "6058053" | "6067260" | "6304501" | "6310807").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/30 14:46
S6	28	memory and (command with auto$1precharg$3) and (initiat$3 with time$1) and predetermin$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 14:59
S7	14	("20020080677" | "20030081483" | "20030128614" | "4344157" | "4831594" | "5193072" | "5321661" | "5856948" | "5999472" | "6134167" | "6167484" | "6310814" | "6404689" | "6411157").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2004/12/30 14:54
S8	46	memory and (command with auto$1precharg$3) and (initiat$3 with time$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2004/12/30 14:59
S9	1	command same auto$1precharg$3 same (initiat$3 with timer) same (predetermin$2 with value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 17:57

S10	9	command and auto$1precharg$3 and (initiat$3 with timer) and (predetermin$2 with value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 18:04
S11	49	(command or signal) and (auto$1precharg$3 or precharge) and (initiat$3 with timer) and (predetermin$2 with value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 18:11
S12	3	command same (timer with (initiat$3 or begin$4 or start$3)) same auto$precharg$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 18:26
S13	8	("5208779" | "5229969" | "5229970" | "5257233" | "5335201" | "5444667" | "5463581" | "5471430").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 18:16
S14	140	((read or write) with auto$precharge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 20:25
S15	3	(DRAM or SDRAM) and ((read or write) with timer with auto$precharge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 18:35
S16	2	(DRAM or SDRAM) and ((read or write) with auto$precharge) same (timer with (initiat$3 or begin$4 or start$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 18:39
S17	3	("5587961" | "5903509" | "6185141").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 18:37
S18	7	(DRAM or SDRAM) and ((read or write) with auto$precharge) and (timer with (initiat$3 or begin$4 or start$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 18:39
S19	8	("5208779" | "5229969" | "5229970" | "5257233" | "5335201" | "5444667" | "5463581" | "5471430").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 18:43
S20	73	"365"/$.ccls. and ((read or write) with auto$precharge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 18:51

S21	0	"365"/$.ccls. and ((read or write) with auto$precharge) same (tim$3 with (predetermin$3 adj value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 18:52
S22	38	"365"/$.ccls. and ((read or write) with auto$precharge) same tim$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 18:53
S23	846	365/232,203,230.03,233,189.01. ccls. and ((read or write) with (auto$precharge or precharg$3)) with tim$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 12:42
S24	85	365/232,203,230.03,233,189.01. ccls. and ((read or write) with (auto$precharge or precharg$3)) with tim$3 with predetermin$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 20:45
S25	3	("5119340" | "6205069" | "6215721").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 20:34
S26	3	365/232,203,230.03,233,189.01. ccls. and ((read or write) with (auto$precharge or (automatic$5 with precharg$3))) with tim$3 with predetermin$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:39
S27	5	"365"/$.ccls. and ((read or write) with (auto$precharge or (automatic$5 with precharg$3))) with tim$3 with predetermin$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 20:58
S28	0	"365"/$.ccls. and ((read or write) with (auto$precharge or (automatic$5 with precharg$3))) with (initiat$3 with tim$3) with predetermin$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 20:58
S29	1	"365"/$.ccls. and ((read or write) with (auto$precharge or (automatic$5 with precharg$3))) same (initiat$3 with tim$3) same predetermin$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 21:00
S30	4	"365"/$.ccls. and ((read or write) with (auto$precharge or (automatic$5 with precharg$3))) same ((initiat$3 or stat$3 or begin$4) with tim$3) same predetermin$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 21:02

S31	4	((read or write) with (auto$precharge or (automatic$5 with precharg$3))) same ((initiat$3 or stat$3 or begin$4) with tim$3) same predetermin$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 21:02
S32	5	((read or write) with (auto$precharge or (automatic$5 with precharg$3))) same ((initiat$3 or start$3 or begin$4) with tim$3) same predetermin$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 21:03
S33	31	((read or write) with (auto$precharge or (automatic$5 with precharg$3))) same ((initiat$3 or start$3 or begin$4) with tim$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/06 21:03
S34	46	("4577293" | "4608666" | "4725945" | "4794559" | "4870622" | "4894770" | "4926385" | "4943944" | "5025421" | "5111386" | "5134616" | "5148396" | "5179687" | "5184320" | "5184325" | "5214610" | "5226009" | "5226139" | "5226147" | "5249282" | "5305280" | "5329489" | "5353427" | "5359722" | "5381370" | "5390308" | "5404338" | "5421000" | "5471601" | "5539696" | "5568427" | "5600605" | "5627791" | "5636173" | "5655105" | "5666321" | "5673233" | "5787457" | "5875134" | "5986948" | "6044026" | "6044032" | "6067260" | "6081477" | "6104650" | "6111807").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 21:05
S35	8	("4667313" | "5208779" | "5229969" | "5229970" | "5257233" | "5335201" | "5412613" | "5493535").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/06 21:09
S36	24	365/232,203,230.03,233,189.01. ccls. and ((read or write) same (auto$precharge or (automatic$5 with precharg$3))) same tim$3 same predetermin$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/07 09:39
S37	1	(bank with memory) same (auto$1precharg$3 with command) same (initiat$3 with timer) same (predetermin$2 with value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 10:12

S38	1	(bank with memory) and (auto$1precharg$3 with command) and (initiat$3 with timer) and (predetermin$2 with value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 10:12
S39	1	memory and (auto$1precharg$3 near3 command) and (initiat$3 with timer) and predetermin$2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 10:13
S40	9	("4984204" | "5386387" | "5625596" | "5652731" | "5946243" | "6011735" | "6041006" | "6058053" | "6067260").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/13 10:13
S41	173	365/232,203,230.03,233,189.01. ccls. and ((read or write) with ((auto$precharge or precharg$3) with command)) with tim$3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 10:16
S42	44	365/232,203,230.03,233,189.01. ccls. and ((read or write) same ((auto$precharge or precharg$3) with command)) same (tim$3 with (begin$4 or initiat$3))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 10:46
S43	25	365/232,203,230.03,233,189.01. ccls. and (read or write) same (((auto$precharge or precharg$3) with command) with (tim$3 with (begin$4 or initiat$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 10:28
S44	1	365/232,203,230.03,233,189.01. ccls. and (read or write) same (((auto$precharge or precharg$3) with command) with (tim$3 with (begin$4 or initiat$3)) with ((predetermin$3 or determin$3) with value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 10:28
S46	1	365/232,203,230.03,233,189.01. ccls. and (read or write) same (((auto$precharge or precharg$3) with command) with (tim$3 with (begin$4 or initiat$3)) same ((predetermin$3 or determin$3) with value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 10:28
S47	1	365/232,203,230.03,233,189.01. ccls. and (read or write) same (((auto$precharge or precharg$3) with command) same (tim$3 with (begin$4 or initiat$3)) same ((predetermin$3 or determin$3) with value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 12:29

S48	1	365/232,203,230.03,233,189.01. ccls. and (read or write) same (((auto$precharge or precharg$3) with command) with (tim$3 with (begin$4 or initiat$3))) same ((predetermin$3 or determin$3) with value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 10:29
S49	7	365/232,203,230.03,233,189.01. ccls. and (read or write) same (((auto$precharge or precharg$3) with command) with (tim$3 with (begin$4 or initiat$3))) same (predetermin$3 or determin$3)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 12:01
S50	11	("5390308" | "5430676" | "5434817" | "5511024" | "5600605" | "5636173" | "5673233" | "5805854" | "5835435" | "5841726" | "5959929").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/13 10:36
S51	1	(command with timer with (initiat$3 or begin$4)) same auto$precharg$3 same predetermin$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/13 10:39
S52	1	(command with timer with (initiat$3 or begin$4)) same auto$precharg$3 same ((predetermin$3 or determin$3) with value)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/13 10:39
S53	2	(command with timer with (initiat$3 or begin$4)) same auto$precharg$3	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/13 10:39
S54	8	365/232,203,230.03,233,189.01. ccls. and ((read or write) same (auto$precharge with command) same (tim$3 with (begin$4 or initiat$3)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/13 10:47
S55	10	("4961169" | "4985643" | "5261068" | "5325502" | "5349566" | "5384750" | "5430687" | "5544124" | "5587961" | "6243797").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/13 10:49
S56	10	("4961169" | "4985643" | "5261068" | "5325502" | "5349566" | "5384750" | "5430687" | "5544124" | "5587961" | "6243797").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/13 13:13
S57	2	"5,636173".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 07:46

S58	1	(read or write) same (((auto$precharge or precharg$3) with command) with (tim$3 with (begin$4 or initiat$3)) with ((predetermin$3 or determin$3) with value))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/14 09:21
S59	2	"5,636173".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 10:07
S60	1	365/232,203,230.03,233,189.01. ccls. and ((auto$precharge or precharg$3) with (control adj circuit)) same timer same reset$4 SAME (predetermin$3 with value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 12:33
S61	1	((auto$precharge or precharg$3) with (control adj circuit)) same timer same reset$4 SAME (predetermin$3 with value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 12:33
S62	102	((auto$precharge or precharg$3) with (control adj circuit)) and timer and reset$4 and (predetermin$3 with value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 12:34
S63	31	365/232,203,230.03,233,189.01. ccls. and ((auto$precharge or precharg$3) with (control adj circuit)) and timer and reset$4 and (predetermin$3 with value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 14:13
S64	6	("4677592" | "5157287" | "5436865" | "6031769" | "6075751" | "6249463").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/17 12:42
S65	7	("4404660" | "5379265" | "5434822" | "5604704" | "5636169" | "5689470" | "5892722").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/17 14:04
S66	22	365/232,203,230.03,233,189.01. ccls. and ((auto$precharge or precharg$3) with (control adj circuit) with tim$3) and reset$4 and (predetermin$3 with value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:01
S67	0	365/232,203,230.03,233,189.01. ccls. and ((auto$precharge or precharg$3) with (control adj circuit) with (tim$3 adj register)) and reset$4 and (predetermin$3 with value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:02

S68	0	((auto$precharge or precharg$3) with (control adj circuit) with (tim$3 adj register)) and reset$4 and (predetermin$3 with value)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:04
S69	2	"6,147916".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/17 15:04
S70	2	"5,636173".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:45
S71	1	(reset$4 with timer) same (auto-precharge with (control adj signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:49
S72	1	(reset$4 with timer) same (auto-precharge with (control near3 signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 10:49
S73	1	(reset$4 with timer) and (auto-precharge with (control near3 signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:13
S74	4	((precharge or auto-precharge) with timer) same reset$4 with (control near3 signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:16
S75	1	((precharge or auto-precharge) with timer) same reset$4 with (auto-precharge near3 control near3 signal)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:17
S76	1	((precharge or auto-precharge) with timer) and (reset$4 with (auto-precharge near3 control near3 signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:22
S77	1	((precharge or auto-precharge) with timer) and (reset$4 same (auto-precharge near3 control near3 signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:24

S78	15	memory and (precharge or auto-precharge) with timer with reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:28
S79	15	memory and ((precharge or auto-precharge) with timer with reset$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:29
S80	22	((precharge or auto-precharge) with timer with reset$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:35
S81	146	(precharge or auto-precharge) with timer	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:54
S82	1	(precharge or auto-precharge) with timer and ((reset$4 with auto-precharge) near3 (control with signal))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:37
S83	3	(precharge or auto-precharge) with timer and (reset$4 with auto-precharge)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:40
S84	2	"6,147916".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:40
S85	11	(precharge or auto-precharge) with timer near3 reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 11:59
S86	2	"5,636,173".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 12:01
S87	48	365/232,203,230.03,233,189.01.ccls. and ((read or write) with (auto$precharge or precharg$3)) with tim$3 with reset$4	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/01/18 12:43

S88	7	("4602354" | "4811301" | "4899315" | "5117389" | "5202848" | "5241497" | "5268861").PN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/01/18 14:11